

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE

| Membership Public | cations/Services Standards Conference | es Careers/Jobs |
|---|---|--|
| IEEE, | Xplore TM RELEASE 1.4 | Welcome United States Patent and Trademark Of |
| Help FAQ Tierms I Review | LEEE Peer. Quick Links: | ∑ |
| Welcome to IEEE Xplore - Home - What Can I Access? - Log-out Tables of Contents - Journals & Magazines - Conference Proceedings - Standards | Your search matched 19 of 816847 door Results are shown 25 to a page, sorted You may refine your search by editing the Then click Search Again. hard <and> mask <and> (trench <or again)="" conference<="" journal="" magazine="JNL" or="" results:="" search="" th=""><th>by publication year in descending order. ne current search expression or entering a new one the tex > via <or> hole)</or></th></or></and></and> | by publication year in descending order. ne current search expression or entering a new one the tex > via <or> hole)</or> |
| Search O- By Author O- Basic O- Advanced | Gravesteijn, D. | erence, 2002. Proceedings of the IEEE 2002 |
| Member Services | [Abstract] [PDF Full-Text (38 | 1 KB)] CNF |
| O- Join IEEE O- Establish IEEE Web Account Print Format | advanced copper/low-k into Shao-Chung Hu; Hsueh-Chung Hung; Wen-Yi Hsieh; Po-Wen | n Chen; Liang-Yuan Fang; Chien-Mei Wang; Ch |
| | [Abstract] [PDF Full-Text (35 | 2 KB)] CNF |
| | CMP Usami, T.; Nanbu, H.; Sugai, F | (Cu DD structure fabrication combined w (A.; Tagami, M.; Miyamoto, H. erence, 2002. Proceedings of the IEEE 2002 |

[Abstract] [PDF Full-Text (336 KB)] CNF

4 Nitride framed shallow trench isolati n (NFSTI) for self-aligned bur

| _ | |
|------|---|
| - 24 | |
| | ١ |
| | , |
| | - |

| L Number | Hits | Search T xt | DB | Tim stamp |
|-------------|------|---|-----------|------------|
| • | 5049 | (hard same mask\$3) and (trench via hole | USPAT | 2002/12/09 |
| | | c ntact p n\$3 groov\$ reces\$4 plug) | | 16:30 |
| - | 397 | ((hard same mask\$3) and (tr nch via hole | USPAT | 2002/12/16 |
| | | c ntact op n\$3 gr ov\$ reces\$4 plug)) and | | 09:34 |
| | | ((hard same mask\$3) same (tungsten | | |
| | | titanium tantalum)) | | |
| - | 325 | (trench via hole contact open\$3 groov\$ | USPAT | 2002/10/21 |
| | | reces\$4 plug) and ((hard same mask\$3) | | 13:33 |
| | | same (tungsten titanium tantalum)) and | | |
| | | (resist photoresist) | | |
| - | 3030 | (trench via hole contact open\$3 groov\$ | USPAT | 2002/10/21 |
| | | reces\$4 plug) and (hard same mask\$3) and | | 13:34 |
| | | (resist photoresist) | | |
| | 368 | (trench via hole contact open\$3 groov\$ | EPO; JPO; | 2002/10/21 |
| | | reces\$4 plug) and (hard same mask\$3) and | DERWENT; | 13:47 |
| | | (resist photoresist) | IBM_TDB | |
| | 854 | (trench via hole contact open\$3 groov\$ | US-PGPUB | 2002/10/21 |
| | | reces\$4 plug) and (hard same mask\$3) and | | 13:35 |
| | | (resist photoresist) | | |
| | 1147 | ((trench via hole contact open\$3 groov\$ | USPAT | 2002/10/21 |
| | Ī | reces\$4 plug) and (hard same mask\$3) and | | 13:36 |
| | ļ | (resist photoresist)) and ((trench via hole | | |
| | ! | contact open\$3 groov\$ reces\$4 plug) same | | |
| | | (hard adj2 mask\$3)) | | |
| | 105 | ((trench via hole contact open\$3 groov\$ | EPO; JPO; | 2002/10/21 |
| | | reces\$4 plug) same (hard same mask\$3) | DERWENT; | 13:50 |
| | | and (resist photoresist)) and (second same | IBM_TDB | |
| | ! | (hard same mask\$3)) | | |
| | 90 | ((trench via hole contact open\$3 groov\$ | EPO; JPO; | 2002/10/21 |
| | ; | reces\$4 plug) same (hard same mask\$3) | DERWENT; | 13:50 |
| | 1 | and (resist photoresist)) and (second same | IBM_TDB | 10100 |
| | | (hard adj2 mask\$3)) | | |
| | 10 | (((trench via hole contact open\$3 groov\$ | EPO; JPO; | 2002/10/21 |
| | | reces\$4 plug) same (hard same mask\$3) | DERWENT; | 13:52 |
| | | and (resist photoresist)) and (second same | IBM_TDB | - |
| | | (hard adj2 mask\$3))) and (second adj2 (hard | | |
| | | adj2 mask\$3)) | | |
| | 24 | ((trench via hole contact open\$3 groov\$ | USPAT | 2002/10/21 |
| | 1 | reces\$4 plug) and ((hard same mask\$3) | | 13:53 |
| | | same (tungsten titanium tantalum)) and | | |
| | ļ | (resist photoresist)) and (second adj2 (hard | | |
| | į | adj2 mask\$3)) | : | |
| | 1731 | (etch\$3 same (hard adj2 mask\$3)) and | USPAT | 2002/11/07 |
| - | - 1 | (trench via hole open\$3) | | 17:15 |
| | 727 | ((etch\$3 same (hard adj2 mask\$3)) and | USPAT | 2002/11/07 |
| | | (trench via hole open\$3)) and (second same | | 17:18 |
| | ; | hard) | | |
| | 366 | (((etch\$3 same (hard adj2 mask\$3)) and | USPAT | 2002/11/07 |
| | | (trench via h le pen\$3)) and (sec nd same | 301.21 | 17:18 |
| ĺ | į | hard)) and partial\$9 | | .7.10 |

| - | 135 | ((((tch\$3 sam (hard adj2 mask\$3)) and | USPAT | 2002/11/07 |
|---|------|--|-----------|------------|
| | | (trench via h le pen\$3)) and (sec nd sam | | 17:19 |
| | | hard)) and partial\$9) and (partial\$9 sam | | |
| | | hard) | | |
| - | 835 | 438/624.ccls. | USPAT | 2002/12/09 |
| | | | | 16:37 |
| - | 536 | 438/620,629.ccls. | USPAT | 2002/12/09 |
| | | | | 16:29 |
| - | 1472 | 438/636,637,638.ccls. | USPAT | 2002/12/09 |
| | | | | 16:29 |
| - | 1375 | 438/652,672,700.ccls. | USPAT | 2002/12/09 |
| | | i | | 16:29 |
| - | 5198 | (hard same mask\$3) and (trench via hole | USPAT | 2002/12/09 |
| | | contact open\$3 groov\$ reces\$4 plug) | | 16:33 |
| - | 1143 | (hard same mask\$3) and (trench via hole | EPO; JPO; | 2002/12/09 |
| | | contact open\$3 groov\$ reces\$4 plug) | DERWENT; | 16:33 |
| | | | IBM_TDB | |
| • | 1436 | (hard same mask\$3) and (trench via hole | US-PGPUB | 2002/12/09 |
| | | contact open\$3 groov\$ reces\$4 plug) | | 16:33 |
| - | 2454 | ((hard same mask\$3) and (trench via hole | USPAT | 2002/12/09 |
| | | contact open\$3 groov\$ reces\$4 plug)) and | | 16:34 |
| | | ((hard same mask\$3) same (trench via hole | | |
| | | contact open\$3 groov\$ reces\$4 plug)) | | |
| - | 1439 | (((hard same mask\$3) and (trench via hole | USPAT | 2002/12/09 |
| | | contact open\$3 groov\$ reces\$4 plug)) and | | 16:35 |
| | | ((hard same mask\$3) same (trench via hole | | |
| | | contact open\$3 groov\$ reces\$4 plug))) and | | |
| | 644 | (hard adj2 mask\$3) | | |
| - | 641 | 438/942,639,717.ccls. | USPAT | 2002/12/09 |
| | 4422 | 257/759 769 551- | | 16:38 |
| • | 1432 | 257/758,760.ccls. | USPAT | 2002/12/09 |
| | 4004 | 057/774 1 | | 16:44 |
| - | 1001 | 257/774.ccls. | USPAT | 2002/12/09 |
| | | | | 16:44 |